

Technical specifications

Noma

DESIGN BY SIMONE VIOLA

JOIVI

Noma

MEASUREMENTS



Lounge chair
260741

Width 112 cm
Depth 85 cm
Height 69 cm
Seat Height 39 cm
Net Weight 12 kg




Armless module
260745

Width 85 cm
Depth 85 cm
Height 69 cm
Seat Height 39 cm
Net Weight 11 kg




Coffee table module
260747

Width 85 cm
Depth 85 cm
Height 23 cm
Net Weight 12 kg




Left-Arm module
260742

Width 99 cm
Depth 85 cm
Height 69 cm
Seat Height 39 cm
Net Weight 11 kg




Corner module
260744

Width 85 cm
Depth 85 cm
Height 69 cm
Seat Height 39 cm
Net Weight 14 kg



Right-Arm module
260743

Width 99 cm
Depth 85 cm
Height 69 cm
Seat Height 39 cm
Net Weight 11 kg



Ottoman module
260746

Width 85 cm
Depth 85 cm
Height 39 cm
Seat Height 39 cm
Net Weight 8 kg

Noma

COMBINATIONS



Metal
Cream white W9472

Fabric
Light brown P890

Wood
Natural teak JW001



Metal
Graphite black W9473

Fabric
Light brown P890


Wood
Natural teak JW001



Metal
Cream white W9472

Fabric
Green P891

Wood
Natural teak JW001



Metal
Graphite black W9473

Fabric
Green P891

Wood
Natural teak JW001



Metal
Cream white W9472

Fabric
Camel beige P892

Wood
Natural teak JW001












Metal
Graphite black W9473

Fabric
Camel beige P892

Wood
Natural teak JW001

Noma

EXAMPLE CONFIGURATIONS



Noma

MATERIAL DATA

Fabric

- 100% Recycled SDP (solution-dyed polyester)
- Width: 150 cm
- Weight: 350 g/m²

- Color Fastness to Artificial Light: ISO 105-B02, Class 7-8 (AATCC 16.3, 1000 hours)
- Color Fastness to Washing: ISO 105-C06, Class 4-5
- Color Fastness to Rubbing: ISO 105-X12, Dry: Class 4-5, Wet: Class 4-5
- Color Fastness to Sea Water: ISO 105-E02, Class 4-5
- Color Fastness to Chlorinated Pool Water: ISO 105-E03, Class 4-5
- Water Repellency: AATCC 22, 90 / 100 (if required)
- Seam Slippage: ISO 13936-2, Max. 6 mm

- Tear Strength: ISO 13937-2
- Tensile Strength: ISO 13934-1
- Pilling Resistance: ISO 12945-2
- Abrasion Resistance: ISO 12947-2
- Flammability: EN 1021-1

Facebook	@joiviofficial
Instagram	@joiviofficial
Pinterest	@joiviofficial
YouTube	@joiviofficial
Linkedin	joiviofficial



JOIVI

info@joivi.com
www.joivi.com

Joivi powered by Freestyle Outdoor Living